Notification dated the 13th August 1940.

Applications in sealed covers for running an Indian Restaurant for one year from 15th September 1940 in the Exhibition Grounds, Mysore, will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 2 P.M. on the 31st August 1940.

Each application must be accompanied by a deposit of Rs. 100 in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for due fulfilment of contract. (Cash amount will not carry interest). The amount of the earnest money will be paid direct to the treasury to the credit of "17 (*a*) P. W. Deposits" and the treasury duplicate challan submitted separately along with the application or tender.

A schedule of rates of various kinds of refreshments and meals should accompany each application.

The application should state the highest amount that they are prepared to pay for running the Restaurant in the Exhibition Grounds for one year.

The final acceptance of the tender or application will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reasons whatever for the rejection of any.

The name of the successful applicant or tenderer will be posted on the Notice Board in the Assistant Engineer's Office. Within three days of the acceptance of the application or tender, the successful tenderer will be required to execute the agreement in the prescribed form agreeing also that he would sell wholesome food stuff prepared in unadulterated ghee at the rates approved by the Department.

Failure to comply with the above condition or to agree to run the Restaurant in accordance with the instructions of the Department will entail forfeiture of earnest money.

The successful applicant should also abide by the instructions of the Department regarding the keeping the place neat and payment of rent in advance each month.

The premises allotted for the Restaurant may be inspected by the intending tenderers before sending their applications.

N. NARASIMHA IYENGAR,
Assistant Engineer.

KRISHNARAJ SAGAR DIVISION, KRISHNARAJ SAGAR.

Abstract Notification dated 3rd August 1940.

Subject:—CONSTRUCTING AMILDAR'S QUARTERS AT KRISHNARAJNAGAR.

Attention of the public is invited to notification calling for tenders for the above work on pages 1772-1774, Part VI of the *Mysore Gazette*, dated 1st August 1940.

2. The tenders will be received by the Executive Engineer, Krishnaraj Sagar Division, Krishnaraj Sagar, up to 2 P.M. of 31st August 1940.

3. An earnest money of Rs. 350 should accompany the tender.

4. The tenders will be opened in the presence of such tenderers, who wish to be present, on 31st August 1940 at Krishnaraj Sagar. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The works should be completed and handed over in a tidy condition to the Public Works Department by the end of May 1941, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will ordinarily be calculated at 12 per cent per annum on the total outlay as liquidated damages for non-fulfilment of contract, and will be recovered from the contractor's outstandings for the period exceeded by him beyond the time fixed and until the work is completed and handed over.

BATNI BHIMA RAO,
Executive Engineer.

HASSAN DIVISION.

Notification dated 13th August 1940.

Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 27th August 1940 till 3 P.M. for constructing a Police Station Building at Banavar, Arsikere Taluk.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for constructing a Police Station at Banavar, Arsikere Taluk." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 285 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender, an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers who wish to be present on the date of opening. The final acceptance of the tender will rest with the ..... Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above, or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days, between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised, and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department for the current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, shall be final and legally binding on the tenderer.

15. The quantities in estimates are only approximate and are liable to alterations, omissions, deductions, or additions at the discretion of the Executive Engineer, or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of December 1940, failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 200 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Executive Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will, however, be considered on the merits of each case.

20 The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer, and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgment of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

23. Copies of tenders in the prescribed form are available from the Office of the Executive Engineer, on payment of annas four per form.

Abstract estimate for constructing a Police Station building at Banavar, Arsikere Taluk.

Sl. No.	Items of work	Per	Quantity	Rate
				Rs. a. p.
1	Earthwork excavation of foundation and filling in basement ..	C.yds.	116	0 3 6
2	Granite stone jelly in chunam mortar concrete ..	C.ft.	919	0 4 6
3	Size stone in mud with necessary bond slabs for foundation and basement	,,	3,285	0 3 6
4	Burnt stone slabs 6" thick dressed and fixed in mortar for verandah exposed faces 2 line dressed	S.ft.	39	0 8 0

Sl. No.	Items of work	Per	Quantity	Rate
				Rs. a. p.
5	Burnt stone slabs 4″ thick dressed and fixed in mortar for steps, two line dressed all faces exposed	S.ft.	60	0 6 0
6	Burnt stone pillars 9″ sqr. with base and capitals 8 feet in height with 2 half pillars	No.	3	8 0 0
7	Flooring with 1½″ cement concrete in burnt stone jelly over 4 inches thick lime concrete in stone jelly and ½ cement plastering and smoothening with red colour and cut to tiled pattern	Sqrs.	11	20 0 0
8	Cement pointing to basement with thread lining	,,	2·50	4 0 0
9	Burnt brick in clay for superstructure with necessary bond stones	C.ft.	4,166	0 3 6
10	Providing and fixing R. S. girders British Standard tested with 2 coats of anti-corrosive paint including hoisting and fixing	Cwt.	13·20	16 0 0
11	Teakwood wrought and put up complete with wood oiling, etc.	C.ft.	185·41	4 8 0
12	Teak wood doors with 1½″ battened shutters and 3½″×4½″ teakwood frames with iron fixtures, wall stoppers, etc., complete	S.ft.	136½	1 8 0
13	Teakwood windows with 3″×4″ teakwood frames with 1¼″ battened shutters and ½″ thick iron bars with iron fittings complete	,,	202	1 10 0
14	Teakwood ventilators with glazed shutters with necessary iron fittings, etc., complete	,,	42	1 4 0
15	Teakwood almirah with panelled shutters and iron fittings, etc., complete	S.ft.	16	1 8 0
16	Burnt stone slabs 6″ thick roughly dressed and fixed in mortar	S.ft.	419	0 6 0
17	Madras terrace with 2 courses of terrace bricks on edge and 3″ of Kappi concrete and 2 courses of flat tiles and plastering top and bottom with chunam mortar with necessary slope to drain off water	Sqrs.	14·42	40 0 0
18	Putting band cornice as per design	R.ft.	226	0 6 0
19	Parapet wall with 1½ feet height and 9″ thick with burnt brick in chunam mortar and plastering with chunam with simple coping at top, etc., complete	,,	212	1 4 0
20	R. C. C. chajja over windows 4″ thick and 2½ to 3 feet projections supported at ends on angle iron frames	R.ft.	72	2 0 0
21	Chunam mortar plastering with rounding of corners ..	Sqrs.	60·27	3 8 0
22	White washing two coats	,,	60·27	0 4 0
23	Providing 3″ dia. zinc sheet storm water down-take pipes ..	R.ft.	256	0 6 0
24	Roofing with 5″ R. C. C. slab, with 3″ kappi 2 courses of flat tiles and plastering top and bottom, etc., complete	Sqr.	..	..
25	Painting with Government Lac Factory green paint ..	,,	..	..
26	Polishing with do do polish ..	,,	..	..

Notification dated 13th August 1940.

Sealed tenders will be received at the Office of the Executive Engineer, Hassan Division, Hassan, up to 31st August 1940, till 3 P.M. for constructing a Police Station Building at Hassan.

2. Tenders in the prescribed form obtainable in the Office of the Executive Engineer, Hassan Division, Hassan, should be addressed to the Executive Engineer, Hassan Division, Hassan, and should be superscribed as "Tender for constructing a Police Station Building at Hassan." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 2,000 only in cash as earnest money. The earnest money of the successful tenderer will be retained as cash security for the due fulfilment of the contract. (Cash amount will not carry any interest.) In case of the acceptance of the tender an addition of the five per cent of the estimated amount as security deposit should be paid at the time of executing the agreement in the Public Works Department Form.

4. The tenders will be opened in the presence of such tenderers who wish to be present on the date of opening. The final acceptance of the tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Office of the Executive Engineer in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Executive Engineer, Hassan Division, Hassan, on all working days between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. On the event of the tender being submitted by a firm, it must be signed separately and severally by each member thereof or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Hassan Division, Hassan, and approved by the Superintending Engineer shall be final and legally binding on the tenderer.

15. The quantities in estimates are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of May 1941, failing which the Executive Engineer may, at his discretion, levy a penalty up to Rs. 200 which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quantity of work, etc., the decision of the Executive Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Executive Engineer, Hassan Division, Hassan.

19. No claims for damages for delays caused by officers of the department in the execution of work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the Departmental Officers will however, be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the department in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

23. Copies of tenders in the prescribed form are available from the Office of the Executive Engineer on a payment of Re. 0-4-0 per form.

Abstract estimate for constructing a Police Station near Sri Narasimharaja Circle at Hassan.

Sl. No.	Items of work	Per	Quantity	Rate
				Rs. a. p.
1*a*	Earthwork excavation and forming the site from R. L. 51·41 to 46·00 in cellor portion	L. S.	*	200 0 0
1*b*	Earthwork excavation for foundation and filling in basement	C.yds.	680	0 4 0
2	Filling in foundation with burnt stone jelly 1″ size in chunam mortar 1 : 2 : 4 with tamping in layers not more than 6″ thick	C.ft.	5,816	0 4 0
3	Size stone in mortar foundation basement with bond stones 6 feet apart and with quoin dressing to basement 2″ wide alround 2 lines dressing	,,	13,466	0 5 6
4	Burnt brick in mortar superstructure with necessary bond stone slabs	,,	1,789	0 4 6
5	Providing and fixing teakwood doors with $3\frac{1}{2}'' \times 4\frac{1}{2}''$ T. W. frames with $1\frac{1}{2}''$ thick half panelled and half glazed shutters with brass fittings, etc., complete with 2 coats of required painting or polishing	S.ft.	74	2 0 0
6	Providing and fixing teakwood windows with $3'' \times 4''$ teakwood frames $1\frac{1}{4}''$ shutters of half panelled and half glazed with brass fittings and welded grill iron bars $\frac{5}{8}''$ square, etc., complete with 2 coats of required painting or polishing ..	S.ft.	60	2 4 0

* Rate per C.yd. to be quoted.

Sl. No.	Items of work	Per	Quantity	Rate
				Rs. a. p.
7	Providing and fixing R. S. Stanchions of British Standard Tested including anchoring bolts and nuts, fish plate and bed plates	Cwt.	219	13 8 0
8	Roofing with Madras Terrace with two course of terrace brick on edge in lime mortar, 3 inches thick Kappi concrete, with necessary slopes to drain of water	Sqrs.	33·51	30 0 0
8a	Granoleothic floor over Madras terrace 1 in finished with 1½" cement concrete finished with ½" thick red cement and cut to design of tiles etc., complete	Sqrs.	33·51	15 0 0
9	Providing and fixing burnt stone slabs dressed and fixed in mortar	S.ft.	736	0 8 0
10	Plastering with lime mortar over stone masonry and rounding of corners	Sqrs.	44·69	3 8 0
11	Teakwood wrought and put up with wood oiling	C.ft.	310	4 8 0
12	White washing two coats	Sqrs.	44·69	0 5 0
13	Flooring for cellar with 1½" cement concrete in burnt stone jelly over 4½" lime concrete in stone jelly and ½" thick coloured cement plastering at top	Sqrs.	42.38	20 0 0
14	Providing masonry tunnel of 5'×6' with silk pattern drain as per design	R.ft.	50	25 0 0
15	Providing and fixing R. S. Beams over masonry tunnel below walls	Cwt.	12	14 0 0
16	Boxing girders with cement concrete and plastering with cement including white washing, etc., complete	R.ft.	492	1 0 0
	Ground Floor above 55·00.			
1	Burnt brick in lime mortar with necessary bond stone slabs ..	C.ft.	6,830	0 4 6
2	Burnt brick in lime mortar for Arch work	,,	70	0 6 0
3	Burnt brick in cement mortar 1:4	,,	828	0 8 0
4	Providing and fixing teak wood doors with 3½"×4½" teak wood frames with half panelled and half glazed shutters with required brass fittings including ventilators at top with 2 coats of required painting or polishing, etc., complete as per specifications	S.ft.	560	2 0 0
5	Providing and fixing teak wood windows with 3"×4" frames with ½ panelled and ½ glazed shutters with brass fittings and with welded grill iron bars ⅝" square with 2 coats of required polish or painting, etc., complete with ventilators at top as per sepcifications	S.ft.	816	2 4 0
6	R. C. C. pillars with 18" at bottom and 15" at top 11 feet high with base and capitals, etc., complete	No.	18	25 0 0
7	Pillasters with burnt brick in lime mortar 2 feet×1½ feet including plastering, etc., complete 11 feet high	No.	6	12 8 0
8	Providing and fixing R. S. Girders of British Standard Tested including hoisting and fixing in cement mortar including anchoring bolts and fish plates, etc., complete	Cwt.	128·52	13 8 0
9	Providing and fixing R. C. C. ventilators over doors and windows	S.ft.	95	1 4 0
10	Burnt stone slabs 6" thick one line dressed and fixed in mortar	,,	766	0 8 0
11	Boxing girders with cement concrete and cement plastering including white washing, etc., complete	R.ft.	433	1 0 0
12	Teakwood work wrought and put up including wood oiling, etc.	C.ft.	415	4 8 0
13	Roofing with Madras Terrace with two courses of terrace bricks on edges and 3" thick Kappi concrete and two courses of flat tiles and top and bottom plastering with chunam mortar and smooth rendering with necessary slope to drain off water	Sqrs.	50·52	40 0 0
14	R. C. C. chajja 4" thick fixed between angle iron frames anchorage with necessary slopes and finishing with plastering, etc., complete	C.ft.	471	3 0 0
15	Plastering with lime mortar and rounding of corners ..	Sqrs.	96·70	4 0 0
16	White and colour washing two coats	,,	96·70	0 5 0
17	Constructing plain cornice alround as per design	R.ft.	398	0 6 0
18	Constructing plain parapet wall as per design with burnt brick in mortar and plastering and white washing	,,	398	1 0 0
19	Constructing R. C. C. dome as per design with necessary iron fittings and reinforcements including cement plastering to smooth surface and white washing, etc., complete with finials	No.	2	500 0 0

Sl. No.	Items of work	Per	Quantity	Rate
20	Providing and fixing rectangular cast iron rain water down take pipes with heads and bends, embedded in masonry, etc., complete	R.ft.	390	1 6 0
21	Providing 4½" thick exmet wall in burnt brick in cement mortar exmet reinforcements at every 3rd course with cement mortar plastering and white washing, etc., complete	S.ft.	921	0 10 0
22	Teakwood staircase with turned balusters with steps 4½ feet wide 12" tread including ¾" nosing and 6" wide with ¾" planks for platform and ceiling finished with "Dulux" varnish	S.ft.	..	..
23	Teakwood spiral stair case of 5 feet dia. with necessary railings, etc., complete to a floor of 10 feet in height	Each	2	*100 0 0
24	Cast iron spiral stair case of 4½' diameter with necessary cast iron railings providing and fixing, etc., complete to a floor of 10 feet in height	,,	2	*100 0 0
25	Roofing with reinforced concrete slab 5" thick with 3" kappi and 2 courses of flat tiles and plastering at top and bottom etc., complete	Sqrs.	..	..

* Per running foot height to be quoted.

M. N. LAKSHMAN RAO,
Executive Engineer.

CHITALDRUG DIVISION.

Notification dated 30th July 1940.

1. Sealed tenders will be received at the Office of the Executive Engineer, Chitaldrug Division, up to 12 noon on 23rd August 1940, for the construction of an additional Tuberculosis Ward at Davangere.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Chitaldrug Division, should be addressed to the Executive Engineer, Chitaldrug Division, in a sealed cover and superscribed as "Tender for contruction of an additional Tuberculosis Ward at Davangere." The name of the tenderer should also be superscribed on the top of the cover.

3. Each tender must be accompanied by a Treasury chellan for earnest money of Rs. 250 paid to the Treasury to the credit of "17(*a*). P. W. Deposits" against the account of the Executive Engineer, Chitaldrug Division. The earnest money of the successful tenderer will be retained as security for due fulfilment of the contract. Such a deposit will not carry any interest.

4. The tenders will be opened in the presence of such tenderers as wish to be present on 23rd August 1940 at 4 P.M. The final acceptance of the tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute an agreement in the departmental Schedule Contract Form, for the due fulfilment of the contract, and for the execution of all items of work in accordance with the Bombay Specifications (1931).

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. The earnest money of rejected tenders will be returned on submission of the receipt originally granted, along with an application to the Executive Engineer.

8. Copies of contract documents, schedules and drawings may be seen at any time at the Executive Engineer's Office, Chitaldrug, on all working days between 11 A.M. and 5 P.M. and may be obtained from that officer on payment of Rs.....

9. Specific rates should be given for each item in the schedule accompanying the tender and the rates should be in rupees, annas and pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

10. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates for such items may be entered in a separate schedule with date and reasons for the same.

11. No alterations which are made by the tenderers in the tender form in the nomenclature of the items of work will be recognised and if corrections are made, the tenders are liable to rejection.

12. There should be no alterations or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to, and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.